The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-23785

Stream : West Fork White River

Applicant : Veolia Water Indianapolis, LLC

Dominique Halloran

1220 Waterway Boulevard Indianapolis, IN 46202-2157

Description

: A new ground water treatment facility will be constructed landward of the floodway along the West Fork White River. Floodway construction activities include a 24" water supply line from the new well field area, a 8" surface water residual force main, a new surface water residuals pump station, a new well water to surface water treatment plant control structure, a 24" pipe to existing sedimentation lagoons, an addition to an existing access road, and modifications to the piping at the existing lagoon effluent flow monitoring structures, a 20'-6" by 7'-6" addition will be constructed 3' above grade on an existing flow split structure. In addition, a 37.5' x 43' x 46' aeration/detention structure will be constructed with the top at elevation at 782.0'. Also, an approximate 128' x 320' thickening basin will be constructed with a small portion of the basin being in the floodway. Details of the project are contained in plans and information received at the Division of Water on April 11, 2006, April 27, 2006, May 19, 2006, May 22, 2006, June 1, 2006 and July 10, 2006.

Location

: At the existing White River North Surface Water Treatment Facility located between River Avenue, East 122nd Street and the West Fork White River DOWNSTREAM: near Carmel, Clay Township, Hamilton County

S½, SE¼, Section 34, T 18N, R 4E, Fishers Quadrangle

Quad Code: 3908681

UTM Coordinates: Downstream 4423565 North, 580228 East

UPSTREAM:

UTM Coordinates: Upstream 4423603 North, 580901 East

Statute/Rule: Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23883

Stream : Ohio River

Applicant : AK Steel - Rockport

Dave Miracle

6500 North US Highway 231 Rockport, IN 47635-9061

Description : An existing outfall structure will be removed and an existing 36' diameter effluent

discharge pipe will be extended from the right (north) streambanks, approximately 165', to the streambed. The pipe will be placed by the trench method. The pipe will have 2.5' of cover between its encasement and the streambed. Details of the project are contained in information and plans received at the Division of Water

on June 19, 2006 and June 30, 2006.

Location : Along the right (north) overbank, approximately 6200' downstream of the Honey

Creek confluence

near Rockport, Ohio Township, Spencer County

SE1/4, NW1/4, SW1/4, Section 13, T 7S, R 6W, Rockport, IN-KY Quadrangle

Quad Code: 3708781

UTM Coordinates: Downstream 4195275 North, 497050 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23884

Stream : Cow Run

Applicant : Temple & Temple

Tom Jones

1367 South State Road 60

Salem, IN 47167

Description : An earthen dam will be constructed across the stream valley to create a 22-acre

lake. The surface area of the lake will have a normal pool elevation of 556.0', NGVD and a depth of 28'. Approximately 68,000 cubic yards of soil will be excavated from the lake to be used as fill for the proposed dam. It will be a maximum height of 37' high, 10' top width with an elevation of 560.0', NGVD. The embankment slopes will be 2.2:1 and 3.75:1. A core trench with a 5' bottom width will be excavated. The trench will be backfilled with on-site selected soil, compacted and will have 1.5:1 sideslopes. The principle and emergency spillway will be 35' wide with 4:1 sideslopes. Details of the project are contained in

information and plans received at the Division of Water on June 19, 2006.

Location : Approximately 1,200' linear feet upstream of the confluence of Guernsey Creek

near Henryville, Monroe Township, Clark County Clark Military Grant #268, Henryville Quadrangle

Quad Code: 3808557

UTM Coordinates: Downstream 4265470 North, 605770 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23885

Stream : Mississinewa River

Applicant : *Indiana Department of Transportation

Richard Phillabaum

100 North Senate Avenue, Room N642

Indianapolis, IN 46204-2216

Description : The existing bridge carrying State Road 1 over the Mississinewa River will

receive a new concrete deck, railing approach slabs and guardrail. The repairs to the substructure concrete and riprap will be placed around the interior piers to protect against scour. Details of the project are contained in information and

plans received at the Division of Water on June 21, 2006.

Location : SR 1 over the Mississinewa River is 0.8 miles south of SR 28 near Fariview

near Fairview, Green Township, Randolph County SE¼, Section 11, T 21N, R 12E, Redkey Quadrangle

Quad Code: 4008532

UTM Coordinates: Downstream 4460625 North, 657415 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-23886

Stream : Muddy Fork

Applicant : Clark-Floyd Waste Services

Robert Lee PO Box 2128

Clarksville, IN 47129-2128

Description : An approximate 1400' x 1250' area will be excavated to a depth of 20' below

existing grade. There will be a 75' buffer area between the excavation area and bank of Muddy Fork. All excavated material will be removed from the floodway. Details of the project are contained in information and plans received at the

Division of Water on June 21, 2006.

Location : Along the left (northeast) overbank, extending approximately 850' to 2100' north

of the Wilson Switch Road stream crossing and 200' to 1550' west of Wilson

Switch Road

near Wilson, Carr Township, Clark County Clark Military Grant #3, Speed Quadrangle

Quad Code: 3808547

UTM Coordinates: Downstream 4256340 North, 602035 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 4 07/14/2006 12:27 PM

Application # : FW-23889

Stream : South Hogan Creek

Applicant : Texas Gas Transmission

Sam Patterson PO Box 20008

Owensboro, KY 42304-0008

Description : Approximately 27' of an existing pipeline will be stabilized with revetment mats,

placed over a geotextile fabric. Also, 40' of the creek's eroded south (left) streambank will be stabilized with concrete revetment mats to protect the bank from further erosion. The revetment mats will be keyed into the streambed at its base and will conform to the existing bank at the project limits. Details of the project are contained in information and plans received at the Division of Water

on June 21, 2006.

Location : Approximately 2244' east of the Stitts Hill Road and Chesterville Road

intersection (along Chesterville Road) and 900' south of Chesterville Road

near Moores Hill, Hogan Township, Dearborn County

SW1/4, SW1/4, SW1/4, Section 34, T 5N, R 2W, Aurora, IN-KY Quadrangle

Quad Code: 3908418

UTM Coordinates: Downstream 4323775 North, 674325 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23891

Stream : Unnamed Tributary Middle

Fork Wildcat Creek

Applicant : Mark E Remaly

90 West 550 South Cutler, IN 46920-9308

Description : Approximately 130' the stream's eroded west bank will be restored to a 2:1 slope

and protected with both revetment riprap over a geotextile fabric and

bio-engineered methods. The riprap will have a maximum height of 1.5' and a depth of 6". The bio-engineered methods will include dormant stock plantings, consisting of native woody plants, planted 1.5' apart. Construction will also include the replacement of the outlet of an existing outfall structure. The 20' long outlet to the outfall structure will consist of PVC pipe and will be equipped with an

animal guard. Details of the project are contained in information and plans

received at the Division of Water on June 22, 2006.

Location : Approximately 80' south and 85' west of the County Road 550 and State Road 75

intersection

DOWNSTREAM: near Cutler, Democrat Township, Carroll County NE¼, NE¼, SE¼, Section 4, T 23N, R 1W, Rossville Quadrangle

Quad Code: 4008645

UTM Coordinates: Downstream 4479743 North, 540167 East

UPSTREAM:

UTM Coordinates: Upstream 4479716 North, 540167 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23892

Stream : Jakes Creek

Applicant : The Muncie Sanitary District

Michael Rost

300 North High Street Muncie, IN 47305-1639

Description : A new 700 gallon per minute submersible wastewater lift station will be

constructed to serve approximately 265 existing residential homes in the Farmington Addition located landward of the floodway. Wastewater will be pumped into the existing 18" Sanitary District sewer which runs parallel to the creek. The lift station will be a 10' diameter concrete structure extending 20' into the ground with 4' extending above ground. A 2' x 3' pump control box will be located next to the station extending approximately 5' above grade. The Sanitary District will construct a gravel access road at grade from Fox Run Lane to the lift station for vehicle access for operation and maintenance. Details of the project are contained in information and plans received at the Division of Water on June

22, 2006.

Location : Along the south (left) stream bank, approximately 1,100' linear feet from the

County Road 200 West stream crossing

near Muncie, Hamilton Township, Delaware County

SE1/4, SE1/4, Section 30, T 21N, R 10E, Muncie West Quadrangle

Quad Code: 4008524

UTM Coordinates: Downstream 4455665 North, 633665 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23893

Stream : Mill Creek

Applicant : Equicor Real Estate Development

Brit Dykstra

9011 North Meridian Street

Suite 202

Indianapolis, IN 46280-5301

Description : Three outfall structures will be constructed along the banks of Mill Creek to

discharge stormwater from a residential development located landward of the floodway. The pipe have diameters of 12", 15", and 21" respectively and will vary in length. Each pipe will terminate with a concrete end section. Riprap will be placed at the base of the end section to dissipate water energy as it approaches the creek. Riprap will also be placed on the opposite bank of the outfall to prevent erosion. Details of the project are contained in information and plans

received at the Division of Water on June 23, 2006.

Location : Along the south bank of Mill Creek approximately 600', 1400', and 2400' upstream

of Mill Creek Road

DOWNSTREAM: near Noblesville, Noblesville Township, Hamilton County

N½, SW¼, Section 34, T 19N, R 4E, Noblesville Quadrangle

Quad Code: 4008611

UTM Coordinates: Downstream 4433439 North, 579884 East

UPSTREAM:

UTM Coordinates: Upstream 4433742 North, 579468 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23898

Stream : Little Lick Creek

Applicant : Indiana Department of Transportation

Rick Phillbaum

100 North Senate Avenue Indianapolis, IN 46204-2273

Description : The existing one-span concrete box beam bridge carrying State Road 26 over the

creek will be replaced with a three-span spill-through bridge. Approximately 15' of the channel will be relocated to the east side of the existing channel. It will be 5' deep, with an 24' bottom width and 2:1 sideslopes. The realigned channel will be excavated "in the dry" and will not be connected to the existing channel until the excavation has been stabilized with riprap. Material excavated from the construction of the new channel will be stockpiled for later use as fill for the old channel. Additional fill material will be brought onsite from an outside source if needed. Details of the project are contained in information and plans received at

the Division of Water on July 3, 2006.

Location : At the State Road 26 crossing

DOWNSTREAM: near Hartford City, Licking Township, Blackford County NW14, NE14, NE14, Section 14, T 23N, R 10E, Hartford City East Quadrangle

Quad Code: 4008543

UTM Coordinates: Downstream 4479016 North, 639479 East

UPSTREAM:

UTM Coordinates: Upstream 4479016 North, 639479 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23899

Stream : St. Joseph River

Applicant : City of Fort Wayne

Matthew Wirtz P E

One Main Street Room 480 Fort Wayne, IN 46802-1823

Description : Approximately 300' of an unnamed tributary to the St. Joseph River will be

dredged 2' to 4' to restore the channel to its original depth in order to reactivate an existing raw water pump station that pumps to the Hurshtown Reservoir, a source of raw water for the City of Fort Wayne. Dredging will be performed by backhoe or other excavation equipment. Excavated material will be transported upland to a disposal site out of the floodway and provisions to capture sediment will be in place to prevent the sediment from reentering the channel. Details of the project are contained in information and plans received at the Division of

Water on July 5, 2006.

Location : Immediately west of Roth Road and North of the Hurshtown Reservoir south of

the St. Joseph River approximately 1 1/2 miles north of Grabill.

near Fort Wayne, Cedar Creek Township, Allen County

E½, NE¼, SE¼, Section 12, T 32N, R 13E, Grabill Quadrangle

Quad Code: 4108428

UTM Coordinates: Downstream 4567879 North, 670648 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23901

Stream : Leatherwood Creek

Applicant : Panhandle Eastern Pipe Line Company

Ralph Oakley

8910 Purdue Road, Suite 300 Indianapolis, IN 46268-1192

Description : Panhandle Eastern Pipeline Maintenance will be performed on an existing

pipeline by installing a 40' wide x 80' long Ercoform Articulating Grout Mat to re-establish cover over the exposed pipeline. The banks will be reseeded with a native seed mix. Details of the project are contained in information received

electronically at the Division of Water on July 6, 2006.

Location : Along the east (right) side of North 450 West in Leatherwood Creek

near Montezuma, Reserve Township, Parke County

NE1/4, NW1/4, SW1/4, Section 29, T 16N, R 8W, Montezuma Quadrangle

Quad Code: 3908773

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 11 07/14/2006 12:27 PM

Application # : FW-23903

Stream : Driftwood River

Applicant : Civil Designs, LLP

David M Griffee, PE

2415 Directors Row, Suite E Indianapolis, IN 46241-4934

Description : A commercial facility will be developed southwest of Driftwood Drive to provide

space for a retail drug store. The facility will consist of a 114' by 130' masonry

building, drive-thru area, dry detention basin and asphalt parking area

constructed on compacted fill placed along the southwest bank. The fill will cover an approximately 400' by 350' area and will vary in depth from 1' at the landward edge to 8' near the stream. It will be set back 200' from the top of the streambank and will have a finished elevation of 624', NGVD. The fill will have 3:1 sideslopes from the finished grade down to the existing floodplain elevations. The parking area will be constructed finished elevation of the fill. The lowest floor elevation of

the building will be 626', NGVD. Details of the project are contained in information received electronically at the Division of Water on July 10, 2006.

Location : Project is located a part in the southwest quarter of section 23 and a part in the

northwest quarter of section 26. Project is also located at the northeast corner of S.R. 46 and Carrhill road, southwest of Driftwood River. The site is currently

/acant.

at Columbus, Columbus Township, Bartholomew County

SW1/4, Section 23, T 9N, R 5E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 12 07/14/2006 12:27 PM

Application # : FW-23904

Stream : St. Joseph River

Applicant : John L Lucchese

2806 E. Jackson Blvd. Elkhart, IN 46516

Description : An existing, concrete seawall will be replaced with a new steel sheet piling

seawall along 65' of the south (left) bank of the St. Joseph River to deter bank erosion. The new wall will be approximately 5.5' high, as measured from the riverbed, will have the same alignment as the existing wall, and will tie into existing seawalls located on adjacent properties located to the east and the west. The piling will be driven approximately 7' into the riverbed and will be anchored with deadmen spaced at 12' intervals. A rear facing whaler will be placed across the inside of the wall to further stabilize the structure. Clean fill will be brought onsite to backfill the area landward of the new seawall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in

information received electronically at the Division of Water on July 10, 2006.

Location : along the left (south) riverbank, approximately 1200' downstream from the

confluence of Pine Creek

near Elkhart, Concord Township, Elkhart County

NE¼, NW¼, NE¼, Section 3, T 37N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-23908

Stream : East Fork White River

Applicant : Vectren Energy Delivery of Indiana

Greg R Mathias

1630 North Meridian Street

PO Box 44945

Indianapolis, IN 46244-0945

Description : An 8 inch diameter gas line will be buried beneath the East Fork of White River.

The installation of the gas line under the East Fork of White River will be by directional bore. The line will have a minimum of five ft of cover between its encasement and the streambed and a minimum of four ft of cover in the banks. River weights will be used to compensate for negative buoyancy in the flood plain. Details of the project are contained in information received electronically at

the Division of Water on July 11, 2006.

Location : This project is located along the West side of State Road 11 (formerly 31A) at the

East Fork of White River. the crossing is located 2 miles south of Interstate 65

exit number 55 and 1 mile north of Seymour, Indiana. Near Seymour, Redding Township, Jackson County

Section 31, T 7N, R 6E, Jonesville Quadrangle

Quad Code: 3908518

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 14 07/14/2006 12:27 PM

Application # : PL-20493

Lake : Winona Lake

Applicant : Cynthia Elliott

Richard Helm

105 East Main Street Warsaw, IN 46580-2742

Description : A temporary group pier will be placed in front of the applicant's easement

frontage to provided access and mooring facilities. The pier will be 3' wide and will extend 175' into the lake. The pier will be supported by auger poles, which will be placed in the lakebed using hand held tools or will be placed in "sockets" installed in the lakebed. Details of the project are contained in information and

plans received at the Division of Water on July 3, 2006.

Location : An easement on 1125 Country Club Drive; a protion of Lot 41 in Yarnelle Point

1st addition and adjacent vacated area

near Warsaw, Wayne Township, Kosciusko County

SW1/4, NE1/4, SW1/4, Section 16, T 32N, R 6E, Warsaw Quadrangle

Quad Code: 4108527

UTM Coordinates: Downstream 4564330 North, 597503 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20494

Lake : Irish Lake

Applicant : Joseph E Fritz

Joseph E Fritz 52 EMS B38B Lane

Leesburg, IN 46538-9467

Description : A 25' x 25' underwater beach will be constructed across 25' of the applicant's 85'

frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on July 3, 2006.

Location : 52 EMS B38B Lane, Lot 28 in Lookout Point Fourth Addition

near Leesburg, Tippecanoe Township, Kosciusko County

NW1/4, SE1/4, SW1/4, Section 20, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4572440 North, 605410 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20499

Lake : Sylvan Lake

Applicant : Rick and Leigh Pranger

Leigh Ann Pranger 110 Triplett Point

Rome City, IN 46784-9669

Description : A concrete seawall will be refaced with a layer of concrete across 86' of the

applicant's 100' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on July 3, 2006.

Location : 110 Triplett Point, Lots 6 and 7 in Triplett Point

near Rome City, Orange Township, Noble County

SW1/4, NE1/4, NE1/4, Section 16, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4594840 North, 636015 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20502

Lake : Clear Lake

Applicant : Joseph R Tyler

520 Lake Drive Fremont, IN 46737

Description : 4' Vinyl sheets will be driven 3'-2" into the lake bed directly in front of the existing

concrete seawall to provide toe protection leaving 10" exposure that will be underwater. The 33 square foot area between the concrete wall and the vinyl sheets will be filled in with #2 natural stone. Details of this project are contained in

information received electronically at the Division of Water on July 7, 2006.

Location : 520 Lake Drive, east side of Clear Lake

at Fremont, Clear Lake Township, Steuben County

Section 20, T 38N, R 15E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20503

Lake : Knapp Lake

Applicant : Steve Nauman

20808 county road 126 Goshen, IN 46528-7405

Description : A 136' vinyl seawall will be constructed across the applicant's property following

the waters edged; there will not be much if any waters filled behind the wall. The 7' sheets will be driven in the lake bed 5' leaving a 2' exposure then caped with an aluminum cap that will be tied back every 4.5' to the bank with deadmen for further support. Clean pea gravel will be used for backfill and toped with topsoil to existing ground level. Details of the project are contained in information received

electronically at the Division of Water on July 11, 2006.

Location : The property address is 0538 South Lakeshore Drive, Kimmel, IN on County

Road 90 South on the north/east side of Knapp Lake near Kimmell, Washington Township, Noble County

Section 4, T 33N, R 8E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20504

Lake : Syracuse Lake

Applicant : Carol White

333 East First Street Warren, IN 46792

Description : Fieldstone (glacial stone/natural stone) will be placed along 90' of the applicant's

property following the lakes legal/average waterline to prevent further erosion. The rocks will be piled approximately 18" thick by 3' along the 90' frontage. No other kind fill will be used, just rocks. Details of the project are contained in information received electronically at the Division of Water on July 11, 2006.

Location : property address is 211 North Harrison Street

at Syracuse, Turkey Creek Township, Kosciusko County

Section 5, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20505

Lake : Lake Wawasee

Applicant : James Mulry

11930 Rumpelstiltzkin Drive

Cromwell, IN 46732

Description : Riprap and geo textile material will be placed on the bank across the applicant's

180' channel frontage approximately 12" thick to help prevent erosion. Starting at the waters edge and working up the bank. Details of the project are contained in information received electronically at the Division of Water on July 13, 2006.

Location : 11930 Rumpelstiltzkin Drive; Enchanted Hills

near Cromwell, Turkey Creek Township, Kosciusko County

Section 13, T 34N, R 7E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake